

Cerfa-Kleen® 5380

Low temperature, non-nitrited spray cleaner

DESCRIPTION

Cerfa-Kleen 5380 is a low temperature, non-nitrited, spray cleaner with short-term in-plant rust inhibition. The non-foaming formulation has no chelates, but is stabilized for use in moderately hard water. **Cerfa-Kleen 5380** presents no barrier to subsequent coating or welding.

Cerfa-Kleen 5380 has proven to be an excellent alternative to the use of solvent emulsion cleaners. It works very well in barrel cleaning, and may be used in all stages of multi-stage washers.

FEATURES / BENEFITS

- May be used at ambient temperatures to dramatically reduce energy costs.
- Imparts corrosion inhibition to parts to protect them from rusting between operations thereby reducing scrap rates.
- Incorporate corrosion inhibitors that prevent flash rusting of your machinery.

DATA (TYPICAL VALUES)

Appearance	Clear, pale yellow liquid
pH (2% Solution)	9.0 ± 0.2
Effect on Metals	Safe on all metals
Free Caustic	None
Phosphates	none
Solubility	Freely soluble in water
Operating Temperature	60°F to 135°F
Use Concentration	2 - 3% by volume

HEALTH AND SAFETY

Refer to SDS for proper handling and disposal. Please note that the SDS includes handling, health and disposal information which should be passed on to your employees, and to anyone else who comes in contact with our product. Additional advice can also be obtained from your local Houghton representative.

NOTE: Read and understand all precautions on container labels before using this product.

HL 14.01 US



Houghton International Inc.
 Madison and Van Buren Aves.
 P. O. Box 930
 Valley Forge, PA 19482-0930

Phone: 610-666-4000
 Fax: 610-666-0174
 info@houghtonintl.com
 www.houghtonintl.com

This document contains information based on data that is believed to be correct. However, the product may not be applicable to all uses and operating environments. No warranty or guarantee is expressed or implied.