

Rust Veto® 4221

Water emulsifiable rust preventative

DESCRIPTION

Rust Veto 4221 is a water emulsifiable rust preventative. The product is readily emulsifiable in either moderately hard or soft water. No special mixing procedures are required.

An emulsion of **Rust Veto 4221** will deposit a thin, protective film on treated surfaces. The thin film will typically provide corrosion protection, on plain carbon or low alloy steel, for six months indoors. Film removal is accomplished with hot water and detergent.

FEATURES / BENEFITS

- Thin film protects your parts without excessive carry-off which reduces usage and cost.
- Low-odor nature of the product optimizes worker acceptance.
- Resists contamination making it ideal for protection of electroplated or surface conversion coated parts.
- The high flash point reduces the potential for flammability and may reduce fire insurance premiums.
- Rapid drying permits handling of parts shortly after application which expedites process flow and packaging.

DATA (TYPICAL VALUES)

Appearance, Neat	Clear, dark amber oil
Specific Gravity @ 60°F	.90
pH	6.8
Viscosity @ 100°F, SUS	160 - 170
Viscosity @ 37.7°C, cSt	34.25 - 36.3
Flash Point, °F, COC	285
Pour Point, °F	15 (-9.4°C)
Humidity Protection, 1010 Steel treated with a 10% emulsion	20 days minimum
Salt Spray (5%) Protection, 1010 Steel treated with a 10% emulsion	4 - 6 hours minimum

HEALTH AND SAFETY

Refer to SDS for proper handling and disposal. Please note that the SDS includes handling, health and disposal information which should be passed on to your employees, and to anyone else who comes in contact with our product. Additional advice can also be obtained from your local Houghton representative.

NOTE: Read and understand all precautions on container labels before using this product.

HL 12.09 US



Houghton International Inc.
 Madison and Van Buren Aves.
 P. O. Box 930
 Valley Forge, PA 19482-0930

Phone: 610-666-4000
 Fax: 610-666-0174
 info@houghtonintl.com
 www.houghtonintl.com

This document contains information based on data that is believed to be correct. However, the product may not be applicable to all uses and operating environments. No warranty or guarantee is expressed or implied.